

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AfB2: Alford-----	90	Not limited		Not limited		Not limited	
Am: Armiesburg Variant--	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
BbA: Barce-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
BdB2: Barce-----	50	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Montmorenci-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Be: Beaucoup-----	100	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Bk: Beckville-----	90	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.03
BmB2: Billett-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
BnC2: Billett-----	90	Not limited		Not limited		Not limited	
BoA: Blount-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
BpD2: Boyer-----	55	Somewhat limited Too sandy	0.02	Somewhat limited Too sandy	0.02	Somewhat limited Slope Gravel content	0.96 0.41

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mudlavia-----	45	Not limited		Not limited		Somewhat limited Slope Content of large stones Droughty Gravel content	0.96 0.79 0.58 0.06
BrA: Brenton-----	90	Somewhat limited Depth to	0.86	Somewhat limited Depth to	0.86	Somewhat limited Depth to	0.94

		saturated zone		saturated zone		saturated zone	
BsA:							
Brenton-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
BwA:							
Brenton-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
CaB2:							
Cadiz-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
CbA:							
Camden-----	90	Not limited		Not limited		Not limited	
CbB2:							
Camden-----	90	Not limited		Not limited		Not limited	
CdB2:							
Camden-----	90	Not limited		Not limited		Not limited	
CfA:							
Carmi-----	100	Not limited		Not limited		Not limited	
Cg:							
Comfrey-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Cs:							
Comfrey-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
CtB2:							
Corwin-----	85	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Cz:							
Cyclone-----	100	Very limited		Very limited		Very limited	
Table REC-2.--Recreation--Continued							

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Dw:							
Drummer-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Drummer-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Dx:							
Drummer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Dy:							
Du Page-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
EdB2:							
Eldean-----	100	Not limited		Not limited		Somewhat limited Gravel content	0.44
EgA:							
Eldean-----	100	Not limited		Not limited		Not limited	
EVA:							
Elston-----	100	Not limited		Not limited		Not limited	
GgA:							
Gilboa-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

GhB2: Glenhall-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
GkB2: Glenhall-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
GoF: Gosport-----	100	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope Droughty Depth to bedrock Gravel content	1.00 0.81 0.42 0.41
HeG: Hennepin-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Droughty	1.00 0.19

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HfB: High Gap-----	90	Not limited		Not limited		Somewhat limited Depth to bedrock	0.42
HhB2: High Gap Variant----	90	Not limited		Not limited		Somewhat limited Depth to bedrock Depth to saturated zone	0.42 0.03
HhC2: High Gap Variant----	90	Not limited		Not limited		Somewhat limited Depth to bedrock Slope Depth to saturated zone	0.42 0.04 0.03
Hm: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter	1.00  1.00	Very limited Depth to saturated zone Content of organic matter	1.00  1.00	Very limited Content of organic matter Depth to saturated zone	1.00  1.00
Ho: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter	1.00  1.00	Very limited Depth to saturated zone Content of organic matter	1.00  1.00	Very limited Content of organic matter Depth to saturated zone	1.00  1.00
IoB2: Iona-----	90	Not limited		Not limited		Not limited	
IpA: Ipava-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Ju: Jules-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
LcA: Lafayette-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Ld: La Hogue-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Lk: La Hogue-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lp: Landes-----	55	Not limited		Not limited		Somewhat limited Flooding	0.60
Chatterton-----	35	Somewhat limited Too sandy	0.50	Somewhat limited Too sandy	0.50	Somewhat limited Flooding	0.60
MaB3: Markham-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
McB2: Markham-----	55	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Symerton-----	30	Not limited		Not limited		Not limited	
MdA: Martinsville-----	90	Not limited		Not limited		Not limited	
MdB2: Martinsville-----	90	Not limited		Not limited		Not limited	
MdC2: Martinsville-----	90	Not limited		Not limited		Somewhat limited Slope	0.04
MoE2: Miami-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
MpC3: Miami-----	85	Not limited		Not limited		Somewhat limited Slope	0.04
MpD3: Miami-----	90	Not limited		Not limited		Very limited Slope	1.00
Mr: Milford-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MtA: Millbrook-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
MuC2: Montmorenci-----	60	Not limited		Not limited		Somewhat limited Slope Depth to saturated zone	0.04 0.03
Barce-----	30	Not limited		Not limited		Somewhat limited Slope	0.04

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone	0.03
MvE2: Morley-----	100	Somewhat limited Slope	0.50	Not limited		Very limited Slope	1.00
MwC3: Morley-----	90	Not limited		Not limited		Somewhat limited Slope Droughty	0.04 0.01

MxC2:							
Morley-----	55	Not limited		Not limited		Somewhat limited Slope	0.04
Cadiz-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
MyA:							
Mudlavia-----	100	Not limited		Not limited		Somewhat limited Content of large stones	0.03
						Gravel content	0.02
MzB2:							
Mudlavia-----	100	Not limited		Not limited		Somewhat limited Gravel content	0.15
						Content of large stones	0.05
ObB2:							
Ockley-----	90	Not limited		Not limited		Not limited	
OcA:							
Ockley-----	85	Not limited		Not limited		Not limited	
OcB2:							
Ockley-----	90	Not limited		Not limited		Not limited	
OpB:							
Ormas-----	100	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Somewhat limited Droughty	0.28
OsA:							
Oshtemo-----	100	Not limited		Not limited		Not limited	
OsB:							
Oshtemo-----	90	Not limited		Not limited		Not limited	
Pm:							
Peotone-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Po:							
Piankeshaw Variant--	100	Not limited		Not limited		Somewhat limited	
Table REC-2.--Recreation--Continued							

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Content of large stones	0.20
						Gravel content	0.18
						Droughty	0.01
Pp:							
Pits-----	100	Not rated		Not rated		Not rated	
PrA:							
Proctor-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
PrB2:							
Proctor-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
PuA:							
Proctor-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
PuB2:							
Proctor-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Rb:							
Ragsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

RdA:							
Rainsville-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
RfB2:							
Rainsville-----	40	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
Williamstown-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
Rockfield-----	15	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
RIa:							
Reesville-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RoA:							
Rockfield-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
RoB2:							
Rockfield-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
RpG:							
Rodman-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Droughty Gravel content	1.00 0.53 0.47
RtA:							
Rush-----	90	Not limited		Not limited		Not limited	
RtB2:							
Rush-----	90	Not limited		Not limited		Not limited	
Sb:							
Sable-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
SeA:							
Shadeland Variant---	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Depth to bedrock	0.94 0.42
SlA:							
Starks-----	90	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
Sr:							
Stonelick-----	55	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Moundhaven-----	35	Somewhat limited Too sandy Flooding	0.82 0.40	Somewhat limited Too sandy Flooding	0.82 0.40	Very limited Flooding Droughty	1.00 0.08
StB3:							
Strawn-----	90	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Droughty	0.75 0.05
StC3:							
Strawn-----	90	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Droughty Slope	0.75 0.05 0.04

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SyB: Symerton-----	50	Not limited		Not limited		Not limited	
Varna-----	35	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
TuC2: Tuscola-----	90	Not limited		Not limited		Not limited	
TwB2: Tuscola-----	90	Not limited		Not limited		Not limited	
Ud: Udorthents-----	100	Not limited		Not limited		Not limited	
Ur: Udorthents-----	100	Not limited		Not limited		Not limited	
W: Water-----	100	Not rated		Not rated		Not rated	
Wc: Wakeland Variant----	100	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Flooding	0.94 0.60
We: Wallkill Variant----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Wg: Warners Variant----	100	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Carbonate content	1.00 1.00 1.00
Wh: Washtenaw-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WlA: Waupecan-----	90	Not limited		Not limited		Not limited	
WpG: Weikert Variant----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.42
WrA: Williamsport-----	55	Somewhat limited		Somewhat limited		Somewhat limited	

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Depth to saturated zone	0.94
Elliott-----	35	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
WtC2: Williamstown-----	60	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.19 0.04

